



Comhairle Cathrach
& Contae **Luimnigh**

Limerick City
& County Council

Air Quality Report for Limerick

June 2019

Introduction

Limerick City and County Council currently has air quality monitors operating at two locations in the metropolitan area of Limerick to provide live indicative air quality data to the public. These monitors are located in Mungret and Castletroy. The Councils' monitors at O'Connell Street in the City have been removed and a new location is being investigated.

The monitors measure particulate matter and gases, including nitrogen dioxide (NO₂), sulphur dioxide (SO₂), carbon monoxide (CO) and ozone. Real time data from these monitors can be accessed at www.airqweb.com. The monitors were calibrated at the start of 2019 and were reinstalled at their locations on 15th March 2019 for particulate matter and 11th April 2019 for gases.

Particulate matter

Particulate matter (PM) which is commonly used as an indicator of dust particles in air, including total suspended particulates, PM₁₀, PM_{2.5} and PM₁.

PM₁₀ is particulate matter 10 microns or less in diameter, PM_{2.5} is particulate matter 2.5 microns or less in diameter and PM₁ is particulate matter 1 micron or less. PM_{2.5} is generally described as fine particulates. As a comparison, the width of a human hair is around 100 microns so approximately 40 PM_{2.5} will fit along its width.

The particulate matter indices that are of primary concern for human health are PM₁₀, PM_{2.5} and PM₁. These are the sub-fraction of particles which can penetrate into the alveoli (air sacs) in the lungs. Chronic exposure to particles contributes to the risk of developing cardiovascular and respiratory diseases, as well as of lung cancer.

Nitrogen dioxide

Nitrogen dioxide (NO₂) is produced during combustion at high temperatures with the main sources in Ireland being vehicles and power stations. Short-term exposure to NO₂ is linked to adverse respiratory effects including airway inflammation in healthy people and increased respiratory symptoms in asthmatics. Long-term exposure is associated with increased risk of respiratory infections in children.

Sulphur dioxide

Sulphur dioxide (SO₂) is a gas which is formed when sulphur containing fuels (e.g. coal and oil) are burned in power stations, domestically and elsewhere. Impacts of high concentrations of SO₂ include

temporary breathing difficulties for those that suffer from respiratory conditions such as asthma. Long-term exposure to SO₂ can aggravate existing cardiovascular disease and respiratory illness.

Carbon monoxide

Carbon monoxide (CO) is a colourless gas, formed from incomplete oxidation during combustion of fuel. Outdoor sources of CO are mainly from vehicles with concentrations generally highest in areas of traffic congestion. CO enters the bloodstream through the lungs and impairs the delivery of oxygen to the body's organs and tissues. The health impact of CO concentrations in ambient air is most serious for those suffering cardiovascular disease such as angina.

Ozone

Ozone (O₃) is formed as a secondary pollutant in the troposphere from the chemical reaction of NO_x (the two pollutants nitric oxide, NO, and nitrogen dioxide, NO₂), CO and volatile organic compounds (VOCs) in the presence of sunlight. Ozone can also be present in the troposphere due to downward flux from the ozone-rich stratosphere, where it occurs naturally and has a role in absorbing harmful UV radiation. Ground-level ozone is depleted through reactions with traffic-emitted pollutants and so levels of ozone are higher in rural areas than in urban areas.

Ozone irritates the eyes, nose, throat and lungs. It can destroy throat and lung tissue leading to a decrease in lung function and respiratory symptoms such as coughing, shortness of breath, aggravated asthma and other lung diseases.

Air Quality Standards

The CAFE (Clean Air for Europe) Directive sets air quality standards for member states in Europe and has been transposed into Irish legislation by the **Air Quality Standards Regulations**. The limit values for particulates are given below.

Pollutant	Objective	Averaging Period	Limit Value	Basis of Application of the Limit Value	Limit Value Attainment Date
PM ₁₀	Protection of human health	24-hours	50 µg/m ³	Not to be exceeded more than 35 times in a calendar year	1 Jan 2005
	Protection of human health	Calendar year	40 µg/m ³	Annual mean	1 Jan 2005
PM _{2.5}	Protection of human health	Calendar year	25 µg/m ³	Annual mean	1 Jan 2005
	Protection of human health	Calendar year	20 µg/m ³	Annual mean	1 Jan 2020
NO ₂	Protection of human health	1-hour	200 µg/m ³	Not to be exceeded more than 18 times in a calendar year	1 Jan 2010
	Protection of human health	Calendar year	40 µg/m ³	Not to be exceeded more than 18 times in a calendar year	1 Jan 2010
SO ₂	Protection of human health	1-hour	150 µg/m ³	Not to be exceeded more than 24 times in a calendar year	1 Jan 2005
	Protection of human health	24-hours	125 µg/m ³	Not to be exceeded more than 3 times in a calendar year	1 Jan 2005
CO	Protection of human health	Maximum 8-hour mean*	10mg/m ³	60% of the hourly running 8-hour averages	1 Jan 2005

*The maximum daily 8-hour mean concentration is selected by examining eight-hour running averages, calculated from hourly data.

The World Health Organisation (WHO) provides air quality guidelines as follows:

Pollutant	Averaging period	Guideline
PM ₁₀	Calendar year	20 µg/m ³
	24-hours	50 µg/m ³
PM _{2.5}	Calendar year	10 µg/m ³
	24-hours	25 µg/m ³
NO ₂	Calendar year	40 µg/m ³
	1-hour	200 µg/m ³
SO ₂	24-hour	20 µg/m ³
	10-minutes	500 µg/m ³
Ozone	8-hour	100 µg/m ³

Air Quality in June

The graphs on the following pages show the 24 hourly mean values of Total Particulates, PM₁₀, PM_{2.5}, PM₁, NO₂, SO₂, CO and ozone for the month of June at the two monitoring sites. The monitoring results for particulate matter have been filtered out where the humidity at the station has been measured as greater than 85 %, as per a recommendation by the EPA¹. The relevant air quality standards or WHO guideline values for PM₁₀, PM_{2.5}, NO₂, SO₂ and CO also indicated. There are no standards currently set for Total Particulates, PM₁ and ozone.

The results for particulate matter and gases (NO₂, SO₂, CO and ozone) indicated generally good air quality throughout June although there was exceedance of the 8-hour daily maximum for ozone at Mungret between approximately 13.45pm and 21.45pm on the 23rd of June

Further information on air quality and health can be found at: <http://www.epa.ie/air/quality/index/#d.en.51478>

The long term mean values for particulate matter and gases (NO₂, SO₂, CO and ozone) following the monitors being reinstalled after calibration are shown in the table below and compared with the annual mean limits and guidelines.

¹ Limerick City and County Council included humidity and temperature sensors to the monitoring suite on 24th January 2018.

Parameter	Location	Measured long term mean ($\mu\text{g}/\text{m}^3$)	WHO annual mean guideline ($\mu\text{g}/\text{m}^3$)	EU CAFÉ directive annual mean limit($\mu\text{g}/\text{m}^3$)
Total Particulates (Mar - June 19)	Castletroy	11 $\mu\text{g}/\text{m}^3$	None specified	None specified
	Mungret	15 $\mu\text{g}/\text{m}^3$		
PM ₁₀ (Mar - June 19)	Castletroy	8 $\mu\text{g}/\text{m}^3$	20 $\mu\text{g}/\text{m}^3$	40 $\mu\text{g}/\text{m}^3$
	Mungret	11 $\mu\text{g}/\text{m}^3$		
PM _{2.5} (Mar - June 19)	Castletroy	6 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	25 $\mu\text{g}/\text{m}^3$
	Mungret	8 $\mu\text{g}/\text{m}^3$		
PM ₁ (Mar - June 19)	Castletroy	3 $\mu\text{g}/\text{m}^3$	None specified	None specified
	Mungret	4 $\mu\text{g}/\text{m}^3$		
NO ₂ (Apr – June 19)	Castletroy	11 $\mu\text{g}/\text{m}^3$	40 $\mu\text{g}/\text{m}^3$	40 $\mu\text{g}/\text{m}^3$
	Mungret	10 $\mu\text{g}/\text{m}^3$		
SO ₂ (Apr – June 19)	Castletroy	12 $\mu\text{g}/\text{m}^3$	None specified	20 $\mu\text{g}/\text{m}^3$
	Mungret	8 $\mu\text{g}/\text{m}^3$		
CO (Apr – June 19)	Castletroy	0.1 mg/m^3	None specified	None specified
	Mungret	0.3 mg/m^3		
Ozone (Apr – June 19)	Castletroy	55 $\mu\text{g}/\text{m}^3$	None specified	None specified
	Mungret	74 $\mu\text{g}/\text{m}^3$		

The maximum daily mean values for particulate matter, for June, are shown in the table below and compared with the WHO air quality guidelines where they exist.

Pollutant	Total Particulates	PM ₁₀	PM _{2.5}	PM ₁
Averaging period	-	24-hours	24-hours	-
Guideline	None	50 $\mu\text{g}/\text{m}^3$	25 $\mu\text{g}/\text{m}^3$	None
Maximum June '19 – Castletroy	19 $\mu\text{g}/\text{m}^3$ 13/06/19	12 $\mu\text{g}/\text{m}^3$ 13/06/19	10 $\mu\text{g}/\text{m}^3$ 02/06/19	5 $\mu\text{g}/\text{m}^3$ 02/06/19
Maximum June '19 - Mungret	13 $\mu\text{g}/\text{m}^3$ 02/06/19	10 $\mu\text{g}/\text{m}^3$ 02/06/19	9 $\mu\text{g}/\text{m}^3$ 09/06/19	5 $\mu\text{g}/\text{m}^3$ 02/06/19

There were no exceedances of WHO guideline values for the daily maximum of PM₁₀ and PM_{2.5} at both sites.


The maximum recorded short term mean values for gases (NO₂, SO₂ and ozone), for June, are shown in the table below and compared with the WHO air quality guidelines.

Pollutant	NO₂	SO₂	Ozone
Averaging period	1-hour	10-minutes²	8-hours
Guideline	200 µg/m³	500 µg/m³	100 µg/m³
Maximum June '19 – Castletroy	27 µg/m ³ <i>17:30-18:30, 07/06/19</i>	77 µg/m ³ <i>11:15-11:30, 04/06/2019</i>	92 µg/m ³ <i>12:45-20:45, 16/06/19</i>
Maximum June '19 - Mungret	18 µg/m ³ <i>07:45-08:45, 24/06/19</i>	78 µg/m ³ <i>11:30-11:45, 27/06/19</i>	103 µg/m ³ <i>13:45-21:45,-23/06/19</i>


There were exceedance of WHO guideline values for the 8-hour daily maximum of ozone at Mungret between approximately 13:45 – 21:45 on June 23rd 2019.

² Measurements of SO₂ are averaged over 15-minute periods by the gas monitors. An exceedance is inferred where the measured 15-minutes average value from the gas monitors is greater than the 10-minutes WHO guideline value for SO₂.


Total Particulates - 24 hour mean ($\mu\text{g}/\text{m}^3$)




Particulate Matter < 10 microns (PM10) 24 hour mean ($\mu\text{g}/\text{m}^3$)




Patriculate Matter < 2.5 micron (PM2.5) 24 hour mean ($\mu\text{g}/\text{m}^3$)




Particulate Matter < 1 micron (PM1) 24 hour mean ($\mu\text{g}/\text{m}^3$)




NO₂ - 24 hour mean (µg/m³)



SO₂ - 24 hour mean (µg/m³)



Ozone - 24 hour mean (ug/m³)



CO - 24 hour mean (mg/m³)

