

# Air Quality Report for Limerick December 2020

### Introduction

Limerick City and County Council currently has air quality monitors operating at three locations in the metropolitan area of Limerick to provide live indicative air quality data to the public. These monitors are located in Mungret, Castletroy and O'Connell Street.

The monitors measure particulate matter and gases, including nitrogen dioxide ( $NO_2$ ), sulphur dioxide ( $SO_2$ ), carbon monoxide (CO) and ozone (CO3). Real time data from these monitors can be accessed at www.airqweb.com.

### Particulate matter

Particulate matter (PM) which is commonly used as an indicator of dust particles in air, including total suspended particulates, PM<sub>10</sub>, PM<sub>2.5</sub> and PM<sub>1</sub>.

 $PM_{10}$  is particulate matter 10 microns or less in diameter,  $PM_{2.5}$  is particulate matter 2.5 microns or less in diameter and  $PM_1$  is particulate matter 1 micron or less.  $PM_{2.5}$  is generally described as fine particulates. As a comparison, the width of a human hair is around 100 microns so approximately 40  $PM_{2.5}$  will fit along its width.

The particulate matter indices that are of primary concern for human health are  $PM_{10}$ ,  $PM_{2.5}$  and  $PM_{1}$ . These are the sub-fraction of particles, which can penetrate into the alveoli (air sacs) in the lungs. Chronic exposure to particles contributes to the risk of developing cardiovascular and respiratory diseases, as well as of lung cancer.

### Nitrogen dioxide

Nitrogen dioxide ( $NO_2$ ) is produced during combustion at high temperatures with the main sources in Ireland being vehicles and power stations. Short-term exposure to  $NO_2$  is linked to adverse respiratory effects including airway inflammation in healthy people and increased respiratory symptoms in asthmatics. Long-term exposure is associated with increased risk of respiratory infections in children.

### Sulphur dioxide

Sulphur dioxide ( $SO_2$ ) is a gas, which is formed when sulphur-containing fuels (e.g. coal and oil) are burned in power stations, domestically and elsewhere. Impacts of high concentrations of  $SO_2$  include temporary breathing difficulties for those that suffer from respiratory conditions such as asthma. Long-term exposure to  $SO_2$  can aggravate existing cardiovascular disease and respiratory illness.

### Carbon monoxide

Carbon monoxide (CO) is a colourless gas, formed from incomplete oxidation during combustion of fuel. Outdoor sources of CO are mainly from vehicles with concentrations generally highest in areas of traffic congestion. CO enters the bloodstream through the lungs and impairs the delivery of oxygen to the body's organs and tissues. The health impact of CO concentrations in ambient air is most serious for those suffering cardiovascular disease such as angina.

### Ozone

Ozone ( $O_3$ ) is formed as a secondary pollutant in the troposphere from the chemical reaction of  $NO_x$  (the two pollutants nitric oxide,  $NO_x$ ), and nitrogen dioxide,  $NO_2$ ),  $CO_x$  and volatile organic compounds (VOCs) in the presence of sunlight. Ozone can also be present in the troposphere due to downward flux from the ozone-rich stratosphere, where it occurs naturally and has a role in absorbing harmful UV radiation. Ground-level ozone is depleted through reactions with traffic-emitted pollutants and so levels of ozone are higher in rural areas than in urban areas.

Ozone irritates the eyes, nose, throat and lungs. It can destroy throat and lung tissue leading to a decrease in lung function and respiratory symptoms such as coughing, shortness of breath, aggravated asthma and other lung diseases.

# **Air Quality Standards**

The CAFE (Clean Air for Europe) Directive sets air quality standards for member states in Europe and has been transposed into Irish legislation by the **Air Quality Standards Regulations.** The limit values for particulates are given below.

| Pollutant         | Objective                        | Averaging<br>Period        | Limit<br>Value        | Basis of Application of the Limit Value                           | Limit Value<br>Attainment<br>Date |
|-------------------|----------------------------------|----------------------------|-----------------------|---|-----------------------------------|
| PM <sub>10</sub>  | Protection<br>of human<br>health | 24-hours                   | 50 μg/m <sup>3</sup>  | Not to be<br>exceeded more<br>than 35 times in a<br>calendar year | 1 Jan 2005                        |
|                   | Protection of human health       | Calendar<br>year           | 40 μg/m³              | Annual mean   | 1 Jan 2005                        |
| PM <sub>2.5</sub> | Protection of human health       | Calendar<br>year           | 25 μg/m³              | Annual mean   | 1 Jan 2005                        |
|                   | Protection of human health       | Calendar<br>year           | 20 μg/m³              | Annual mean   | 1 Jan 2020                        |
| NO <sub>2</sub>   | Protection<br>of human<br>health | 1-hour                     | 200 μg/m³             | Not to be<br>exceeded more<br>than 18 times in a<br>calendar year | 1 Jan 2010                        |
|                   | Protection<br>of human<br>health | Calendar<br>year           | 40 μg/m³              | Not to be exceeded more than 18 times in a calendar year          | 1 Jan 2010                        |
| SO <sub>2</sub>   | Protection<br>of human<br>health | 1-hour                     | 150 μg/m <sup>3</sup> | Not to be<br>exceeded more<br>than 24 times in a<br>calendar year | 1 Jan 2005                        |
|                   | Protection<br>of human<br>health | 24-hours                   | 125 μg/m³             | Not to be exceeded more than 3 times in a calendar year           | 1 Jan 2005                        |
| СО                | Protection<br>of human<br>health | Maximum<br>8-hour<br>mean* | 10mg/m³               | 60% of the hourly running 8-hour averages                         | 1 Jan 2005                        |

<sup>\*</sup>The maximum daily 8-hour mean concentration is selected by examining eight-hour running averages, calculated from hourly data.

The World Health Organisation (WHO) provides air quality guidelines as follows:

| Pollutant         | Averaging period | Guideline |
|-------------------|------------------|-----------|
| PM <sub>10</sub>  | Calendar year    | 20 μg/m³  |
|                   | 24-hours         | 50 μg/m³  |
| PM <sub>2.5</sub> | Calendar year    | 10 μg/m³  |
|                   | 24-hours         | 25 μg/m³  |
| NO <sub>2</sub>   | Calendar year    | 40 μg/m³  |
|                   | 1-hour           | 200 μg/m³ |
| SO <sub>2</sub>   | 24-hour          | 20 μg/m³  |
|                   | 10-minutes       | 500 μg/m³ |
| Ozone             | 8-hour           | 100 μg/m³ |

## **Air Quality in December**

The graphs on the following pages show the 24 hourly mean values of Total Particulates, PM<sub>10</sub>, PM<sub>2.5</sub>, PM<sub>1</sub>, NO<sub>2</sub>, SO<sub>2</sub>, CO and ozone for the month of December at the three monitoring sites. The monitoring results for particulate matter have been filtered out where the humidity at the station has been measured as greater than 85 %, as per a recommendation by the EPA<sup>1</sup>. Humidity was greater than 85% on the 1<sup>st</sup>, 6<sup>th</sup>, 7<sup>th</sup>,9<sup>th</sup>,17<sup>th</sup> and 21st of December at Castletroy and on the 1<sup>st</sup>, 6<sup>th</sup>, 7<sup>th</sup>, 9<sup>th</sup>, 10<sup>th</sup>,17<sup>th</sup>,21<sup>st</sup>, and 22<sup>nd</sup> of December at Mungret, subsequently particulate matter results were filtered out for these dates. The relevant air quality standards or WHO guideline values for PM<sub>10</sub>, PM<sub>2.5</sub>, NO<sub>2</sub>, SO<sub>2</sub> and CO also indicated. There are no standards currently set for Total Particulates, PM<sub>1</sub> and ozone.

At the sites, the results for particulate matter and gases (NO<sub>2</sub>, SO<sub>2</sub>, CO and ozone) indicated generally good air quality throughout December.

Further information on air quality and health can be found at <a href="http://www.epa.ie/air/quality/index/#d.en.51478">http://www.epa.ie/air/quality/index/#d.en.51478</a>.

The long-term mean values for particulate matter and gases (NO<sub>2</sub>, SO<sub>2</sub>, CO and ozone) since the monitors were installed are shown in the table below and compared with the annual mean limits and guidelines.

<sup>1</sup> Limerick City and County Council included humidity and temperature sensors to the monitoring suite on 24<sup>th</sup> January 2018.

| Parameter  | Location            | Measured long term<br>mean (μg/m³) | WHO annual mean guidelines (μg/m³) | EU CAFÉ Directive<br>annual mean limit<br>(μg/m³) |
|--|---------------------|------------------------------------|------------------------------------|---|
| Total Particulates O Connell St  | O'Connell St        | 14 μg/m <sup>3</sup>               |                                    | None specified                                    |
| August 18 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  Castletroy  March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  Mungret  January 1 <sup>st</sup> – 31 <sup>st</sup> Dec 2020 | Castletroy  Mungret | 12 μg/m³<br>12 μg/m³               | None specified                     |   |
| PM <sub>10</sub>   | O'Connell St        | 10 μg/m³                           | - 20 μg/m³                         | 40 μg/m³  |
| O Connell St August 18 <sup>th</sup> – 31 <sup>st</sup> Dec 2020   | Castletroy          | 8 μg/m³                            |                                    |   |
| March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  Mungret  January 1 <sup>st</sup> – 31 <sup>st</sup> Dec 2020               | Mungret             | 8 μg/m³                            |                                    |   |
| PM <sub>2.5</sub>  | O'Connell St        | 8 μg/m³                            | -<br>10 μg/m³                      | 20 μg/m³  |
| O Connell St<br>August 18 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  | Castletroy          | 5 μg/m³                            |                                    |   |
| Castletroy  March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  Mungret  January 1 <sup>st</sup> – 31 <sup>st</sup> Dec 2020  | Mungret             | 6 μg/m³                            |                                    |   |
| PM <sub>1</sub>  | O'Connell St        | 4 μg/m³                            | None specified                     | None specified                                    |
| O Connell St<br>August 18 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  | Castletroy          | 3 μg/m³                            |                                    |   |
| Castletroy March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020 Mungret January 1 <sup>st</sup> – 31 <sup>st</sup> Dec 2020   | Mungret             | 3 μg/m³                            |                                    |   |
| NO <sub>2</sub>  | O'Connell St        | 22 μg/m³                           | 40 μg/m³                           | 40 μg/m³  |
| March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020<br>Castletroy  | Castletroy          | 10 μg/m³                           |                                    |   |
| O Connell St<br>Mungret  | Mungret             | 10 μg/m³                           |                                    |   |
| SO <sub>2</sub>  | O'Connell St        | 9 μg/m³                            |                                    |   |
| March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020<br>Castletroy  | Castletroy          | 6 μg/m³                            | None specified                     | 20 μg/m³  |
| O Connell St<br>Mungret  | Mungret             | 6 μg/m³                            |                                    |   |
| CO   | O'Connell St        | 0.14 mg/m <sup>3</sup>             |                                    | None specified                                    |
| March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020<br>Castletroy  | Castletroy          | 0.10 mg/m <sup>3</sup>             | None specified None s              |   |
| O Connell St<br>Mungret  | Mungret             | 0.20 mg/m <sup>3</sup>             |                                    |   |
| Ozone  | O'Connell St        | 45 μg/m³                           | None specified None s              |   |
| March 4 <sup>th</sup> – 31 <sup>st</sup> Dec 2020  | Castletroy          | 49 μg/m³                           |                                    | None specified                                    |
| Castletroy<br>O Connell St<br>Mungret  | Mungret             | 49 μg/m³                           |                                    | Hone specified                                    |

The maximum daily mean values for particulate matter, for December, are shown in the table below and compared with the WHO air quality guidelines where they exist.

| Pollutant                             | Total<br>Particulates                       | PM <sub>10</sub>                 | PM <sub>2.5</sub>                           | PM <sub>1</sub>                            |
|---------------------------------------|---|----------------------------------|---|--|
| Averaging period                      | -   | 24-hours                         | 24-hours                                    | -  |
| Guideline                             | None  | 50 μg/m³                         | 25 μg/m <sup>3</sup>                        | None                                       |
| Maximum December '20 O'Connell Street | 22 μg/m <sup>3</sup><br><sup>26/12/20</sup> | 17 μg/m <sup>3</sup><br>26/12/20 | 15 μg/m <sup>3</sup><br><sup>26/12/20</sup> | 8 μg/m <sup>3</sup><br><sup>26/12/20</sup> |
| Maximum<br>December '20<br>Castletroy | 18 μg/m³<br><sub>08/12/20</sub>             | 13 μg/m <sup>3</sup><br>08/12/20 | 12 μg/m <sup>3</sup>                        | 8 μg/m <sup>3</sup><br>13/12/20            |
| Maximum December '20 - Mungret        | 18 μg/m³<br><sub>08/12/20</sub>             | 16 μg/m <sup>3</sup><br>08/12/20 | 13 μg/m³<br>13/12/20                        | 7μg/m³<br>13/12/20                         |

There were no exceedances of WHO guideline values for the month of December.

The maximum recorded short-term mean values for gases (NO<sub>2</sub>, SO<sub>2</sub> and ozone), for December, are shown in the table below and compared with the WHO air quality guidelines.

| Pollutant                             | NO <sub>2</sub>                       | SO <sub>2</sub>                       | Ozone                                   |
|---------------------------------------|---------------------------------------|---------------------------------------|---|
| Averaging period                      | 1-hour                                | 10-minutes <sup>2</sup>               | 8-hours                                 |
| Guideline                             | 200 μg/m <sup>3</sup>                 | 500 μg/m <sup>3</sup>                 | 100 μg/m <sup>3</sup>                   |
| Maximum Dec '20<br>- O'Connell Street | 113 μg/m³<br>19:15-20:15,<br>09/12/20 | 395 μg/m³<br>15:30-15:45,<br>22/12/20 | 77 μg/m³<br>21:15-05:15,<br>26+27/12/20 |
| Maximum Dec '20<br>– Castletroy       | 73 μg/m³<br>09:00-10:00,<br>08/12/20  | 305 μg/m³<br>09:00-09:15,<br>08/12/20 | 72 μg/m³<br>16:00-12:00,<br>26/12/20    |
| Maximum Dec 20<br>- Mungret           | 46 μg/m³<br>11:30-12:30,<br>21/12/20  | 403 μg/m³<br>09:45-10:00,<br>31/12/20 | 87 μg/m³<br>15:45- 11:45,<br>26/12/20   |

There were no exceedances of WHO guideline values for the month of December.

 $^2$  Measurements of  $SO_2$  are averaged over 15-minute periods by the gas monitors. An exceedance is inferred where the measured 15-minutes average value from the gas monitors is greater than the 10-minutes WHO guideline value for  $SO_2$ .















